# **Configure EduBrite for Single Sign-On**

Configuring EduBrite for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to EduBrite by using the enterprise credentials.

## Prerequisite

Browser Requirements: Internet Explorer 11 and above

#### To configure EduBrite for SSO by using SAML:

- 1. In a browser, type <u>https://<customer\_domain>.edubrite.com/oltpublish/site/signin.do</u> and press **Enter**.
- 2. Type your EduBrite admin account credentials (**Username** and **Password**) and click **Sign In**.

Sign In	
Username	2
Password	
Forgot username or password?	I
Remember	
	Sign In

3. In the left panel, click **Site Admin** and select **Site Details**.



4. In the **Site Edit** page, click the **Security** tab and select the **Enable SAML v2 Single Sign On** check box.



5. In the **Site Edit** page, click the **Customization** tab and enter the following value: **SAML\_IDP\_URL**=<IdP logon URL>



6. Click Save.

7. In the left panel, click **CMS** under **Site Admin**.



8. In the **Cms Browser** page, click **Create New** and select **Data Source** from the drop-down menu.

						Site P	age age Include
ype:	Name $\Diamond$ Vi	iew	Туре	Version	Date	Site T	emplate
×	BADGE_CONFIG.js Edit Plain Text		Data Source	1	01 Dec 2 00:00	Email Data	Template Source
lame:	SAML_IDP_CERT.cer		Data Source	1	27 Nov 2 17:16	Repo Certif	rt Template ìcate Template 2 Template
Page Size: 10  Search	SITE_USER_THRESHOLD_NOTIFICATION		Email Template	1	27 Nov 2 16:21	2 Course Session Temp Report	se Session Templa rt
	GROUP_MEMBER_CUSTOM_PROPERTIES.js Edit Plain Text		Data Source	1	27 Nov 2 16:19	2 Batch Schedule Lesson Content Templ:	
	USER_CUSTOM_PROPERTIES.js Edit Plain Text		Data Source	2	27 Nov 2 16:12	<b>¢</b> © Ini	tialize CMS
	SiteProperties.json		Site Properties	4	03 Dec 20 11:21	18	much blur

9. In the **New Data Source** page, enter the values for the following fields:

Required Information	Description
Title	SAML_IDP_CERT.cer
	Copy and paste the IdP certificate. The IdP certificate must begin and end with
	Begin CertificateandEnd Certificate
	<b>Note:</b> The IdP metadata URL is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app.
	<u>https://gateway.cloud.com/idp/saml/<citrixcloudcust_id>/<a< u=""> np_id&gt;/idp_metadata.xml</a<></citrixcloudcust_id></u>

5	AML_IDP_CERT.cer					
	-Begin Certificate-	!		<u>.</u>		ч.,ч.,
-			· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
			×			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				,		· · · •
1.1	1 1 1 1 M	1. S. 1911	1	1 2 1 1 1 P	and the factors	1
_						100 A 100 A
~ -	- •			·		
			* .			· .
		5. 0-			5. 55	
100	1					
	0 0 C			· • • • ·	U 51	-
				1	9 9	
					U 51	·

## 10. Click Save Draft.

# 11. Finally, click **Publish**.

New Data Source				
Title:* SAML_IDP_CERT.cer				
1Begin Certificate				
	- · · · ·		· · · · · · · · · · · ·	
			· · · · ·	
			- <u>.</u>	
· · · · · · · · ·				
		u i i i i i i i i i i i i i i i i i i i		
-End Certificate				
2 3				
4				
6				
	Save	Draft Publish Close Delete		
day da	Content is in draft stat	te, click on Publish button once you are do	one with editing.	