


# Configure FileCloud for Single Sign-On

Configuring FileCloud for single sign-on (SSO) enables administrators to manage users of Citrix Gateway service. Users can securely log on to FileCloud by using the enterprise credentials.


## To configure FileCloud for SSO by using SAML:

1. In a browser, type <https://<customer domain>.filecloudonline.com/> and press **Enter**.
2. Enter your FileCloud admin account credentials (**Registered Email** and **Password**) and click **SIGN IN**.



The image shows a dark blue sign-in page for FileCloud. At the top, the text "Sign In" is displayed in white. Below this, there are two input fields: "Registered Email" with a person icon and "Password" with a lock icon. The password field contains several dots. At the bottom left, there is a link "Not a customer yet? Register for a Free Trial!". At the bottom right, there is a link "Forgot Password?". A large black button with a white arrow and the text "> SIGN IN" is centered at the bottom.

3. In the dashboard page, click **Settings** in the left pane.
4. Select the **SSO** tab.
5. Select **SAML** in the **Default SSO Type** drop-down list.



6. Enter the values for the following fields:

Required Information	Description
IdP End Point URL	IdP logon URL
IdP Username Parameter	Username
IdP Email Parameter	Email address of the user
IdP Given Name Parameter	Name of the user
IdP Surname Parameter	Surname of the user
IdP Meta Data	Copy and paste the IdP metadata. <b>Note:</b> The IdP metadata is provided by Citrix and can be accessed from the link below: <a href="https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatetest/&lt;app_id&gt;/idp_metadata.xml">https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatetest/&lt;app_id&gt;/idp_metadata.xml</a>

## SAML Settings

IdP End Point URL

URL of the Identity Provider that the Service Provider must contact.

IdP Username  
Parameter

Username Parameter Name in Identity Provider

IdP Email Parameter

Email Parameter Name in Identity Provider

IdP Given Name  
Parameter

Given Name Parameter Name in Identity Provider

IdP Surname  
Parameter

Surname Parameter Name in Identity Provider

Limit Login to Idp  
Group

Specify the Identity Provider Group Name to limit users who can login (Optional). Note: Groups that user belongs must be passed from Idp as 'memberof' attribute

Show the Idp Login  
Screen

If enabled, User login will be directed to Idp login screen automatically.

IdP Meta Data



Enter Identity Provider metadata in XML format.

Enable ADFS

Specify if IdP is Active Directory Federation Service (ADFS)

User Login Token  
Expiration Match IdP  
Token Expiration

If enabled, user authentication token will expire as specified by Identity Provider.

Log Level

Specify the Log Level (Use Dev only for testing)