Configure JupiterOne for Single Sign-On

Configuring JupiterOne for single sign-on (SSO) enables administrators to manage users of Citrix Gateway service. Users can securely log on to JupiterOne by using the enterprise credentials.

To configure JupiterOne for SSO by using SAML:

- 1. In a browser, type <u>https://<customer_domain>.apps.us.jupiterone.io/home</u> and press **Enter**.
- 2. Enter your JupiterOne admin account credentials (**Username** and **Password**) and click **SIGN IN**.



3. In the dashboard page, click the settings icon and click **Single Sign On**.



4. In the **Single Sign On** page, click **CONFIGURE**.

Single Sign On	CONFIGURE
Ckta ISV	

5. In the **Configuration** page, enter the values for the following fields:

Required Information	Description
Client name	NetScaler
SAML Metadata Document URL	IdP logon URL

÷	A	b û
SSO URL		
This is the single sign-on URL configuration Also use the ab	that you need to ente ove for Recipient URI	er in your IdP SSO application L and Destination URL
Audience URI (SP Entity ID)		
This is the single sign-on audi application configuration	ence URI that you nee	ed to enter in your IdP SSO
Client name		
SAML Metadata Docume	ent URL	
Allowed OAuth Flows		
Authorization code g	rant	
 Implicit Grant Client credentials 		

Note: Copy the SSO URL and Audience URI (SP Entity ID) for IdP configuration.

6. Click the save icon.