Configure Panopta for Single Sign-On

Configuring Panopta for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to Panopta by using the enterprise credentials.

Prerequisite

Browser Requirements: Internet Explorer 11 and above

To configure Panopta for SSO by using SAML:

- 1. In a browser, type <u>https://my.panopta.com/login</u> and press **Enter**.
- 2. Type your Panopta admin account credentials (**Username or Email** and **Password**) and click **LOGIN**.

🚸 Panopta	
the second second	
international the spectrum.	
LOGIN	
Forgot Password Contact Us	

3. In the dashboard page, click **Settings** and select **Integrations**.

\$	Monitoring 🗸	Settings ~ Reporting ~	Incidents		+ Add Q Search Ins	stances 🔌 🗘 💽
		Users, Groups & On-Call				
INST		Integrations				
NCES	Recently R	Perfmon Metrics				
	Event Id	API	Started	Duration	Affected	
		Credentials	Nor	ecent outages.		
		Access Control				
		Email Templates				
		Cloud Settings				
		Countermeasures				
		Tags				
		Custom Metrics				
						Q

4. In the **Integrations** page, scroll down and click **Configure** in the **SAML** tile.

Monitoring	✓ Settings ✓	Reporting ~ Incid	dents			+ Add	Q Search Instances	& ¢	
payl speci	loads to your cific endpoints								
Incid	lent Manag	ement System	ı						
ser	rvice <mark>n⊍w</mark>	pagerduty	StatusPage.io		5				
Ser Si	nd events to erviceNow	Trigger new incident incidents in PagerDuty	StatusPage.io components reflect status and general updates in realtime	Trigger new outage incidents in OpsGenie	Send all your outage events into BigPanda.io				
	Configure	Configure	Configure	Configure	Configure				
Singl	le Sign On								
C	okta	Microsoft Active Directory	SAML	×					
Integ wit	grate Panopta th your Okta nstallation	Integrate Panopta with your Microsoft ADFS installation	Integrate Panopta with your SAML- based SSO provide						
	Configure	Configure	Configure						
									-

5. In the pop-up window, enter the values for the following fields:

Required Information	Description
URL Fragment*	Custom URL fragment used in your SSO login URL.
Username Field*	email
Entity ID*	IdP Issuer URL
Login URL*	IdP logon URL
Login Binding*	HTTP-POST

Edit SSO Configuration	
You can find our SSO documentation here. If you need help alon way, you can reach us at support@panopta.com.	ig the
eneral	^
URL Fragment*	
Stream .	
Custom URL fragment used in your SSO login URL. For example, if you "panopta", your login URL will be my.panopta.com/sso/panopta. Text or	enter nly.
Username Fleld*	
email	
Field in your SAML payload that matches a user's Panopta login email	
Entity ID*	
and the local sector of th	
URL that provides your IDP metadata.	
Login URL*	
Redirect URL used for login requests	
Login Binding*	
urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST	
Colon separated sequence of strings provided by your SSO tool	
Logout URL	
URL used to redirect the user on logout requests	
Logout Binding	
Colon separated sequence of strings provided by your SSO tool	
Certificate	~

6. Click **Certificate** and enter the values for the following fields:

Required Information	Description
Certificate*	Copy and paste the IdP certificate. The IdP certificate must begin and end with Begin CertificateandEnd Certificate
	Note: The IdP metadata is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app. <u>https://gateway.cloud.com/idp/saml/<citrixcloudcust_id>/<app_id> /idp_metadata.xml</app_id></citrixcloudcust_id></u>

Edit SSO Configuration	×
Certificate	^
Certificate*	
and the second second	*
· · · · ·	
	11
, , ,	
Contractory (New Yorkington)	
	•

7. Click **User Configuration** and enter the values for the following fields:

Required Information	Description
New User Notifications	Select the user account check box from the drop-down.
User Management	Select the Auto Create Users check box.
Default Timezone	Select the nearest time zone.

Edit SSO Configuration	>	<
Certificate	~	*
User Configuration	^	
New User Notifications		
st time		
User Management		
🛃 Auto Create Users		
Automatically add a user the first time they login. If disabled, new users will not be able to login until approved by an admin		
Default Roles for New Users		5
Assign roles manually		
Assign roles based on SAML mapping		
Default Timezone		
Bangkok 👻		I
This timezone will be assigned to all new users		I
		Ŧ
Save		

8. Finally, click **Save**.