

Configure POPin for Single Sign-On


Configuring POPin for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to POPin by using the enterprise credentials.

Prerequisite

Browser Requirements: Internet Explorer 11 and above


To configure POPin for SSO by using SAML:

1. In a browser, type <https://app.popinnow.com/#/signin> and press **Enter**.
2. Type your POPin admin account credentials (**Work Email**) and click **Submit**.




The screenshot shows a login interface with the heading "Get started with your email address". Below the heading is a text input field labeled "Work Email" containing a blurred email address. At the bottom of the form is a teal "Submit" button.

3. In the login page, click the user account in the top-right corner and select **Enterprise Dashboard**.



4. In the dashboard page, click **Settings**.



5. Scroll down and select **SAML 2.0 Single Sign-On** under **AUTHENTICATION**.
6. Upload the IdP metadata XML file or add the logon URL with App ID.

AUTHENTICATION

- Standard Authentication**
POPin standard magic link and username/password authentication
- SAML 2.0 Single Sign-On**
POPin supports Azure, Okta, and OneLogin, or your custom SAML 2.0 solution.
If you need help configuring your Single Sign-On integration, [Learn More](#) or [Contact Us](#).

Settings from Metadata URL ▾

https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatetest/.../idp_m...

IdP Settings

Metadata XML [View](#) [Download](#)

SP Settings

Metadata XML [View](#) [Download](#)

SSO URL

<https://app.popinnow.com/saml/login/...>

Assertion Consumer Services (ACS) URL

<https://app.popinnow.com/saml/sso/...>

Name ID Format

urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress

Required User Attributes

- **FirstName**
- **LastName**