Configure WhosOnLocation for Single Sign-On


Configuring WhosOnLocation for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to WhosOnLocation by using the enterprise credentials.

Prerequisite


Browser Requirements: Internet Explorer 11 and above

To configure WhosOnLocation for SSO by using SAML:


- 1. In a browser, type https://login.whosonlocation.com/login and press Enter.
- 2. Type your WhosOnLocation admin account credentials (**EMAIL ADDRESS** and **PASSWORD**) and click **Log In**.



3. In the dashboard page, click **Tools** and select **Account**.




4. In the **Account** page, click **Employee Access** in the left pane.



- 5. In the **Employee Access** page, click the **Yes** radio button in the **Single sign-on with SAML** tile.
- 6. Enter the values for the following fields under **SAML Configuration**:

Required Information	Description
Issuer URL*	IdP Issuer URL
SSO Endpoint*	IdP logon URL
Certificate*	Copy and paste the IdP certificate. The IdP certificate must begin and end withBegin Certificate andEnd Certificate
	Note: The IdP metadata is provided by Citrix and can be accessed from the link below. The link is displayed while configuring SSO settings for your app. https://gateway.cloud.com/idp/saml/ <citrixcloudcust id="">/<app id="">/idp metadata.xml</app></citrixcloudcust>



7. Click **Save SAML Configuration**.

8. Note down the details under **Our SAML Parameters** for IdP configuration.

