Configuring Bluejeans

Logi	in	
Username	or Email Address:	
Meighter	100.000	
Password:		
•••••		
Forgot your p	password?	
	LOG IN	

1. Login to Bluejeans as an Admin user.

Bluejeans	MEETINGS ADMIN L COMMAND CENTER
GROUP SETTINGS 2	GROUP INFO SECURITY 3
MANAGE FEATURES	Authentiottion Options
MANAGE USERS	C Monteen Reconstruction press
MEETING HISTORY	 Kinet Stephelispecke
RECORDING ACTIVITY	The fidewarge to the anticipation and annie you to same the participation of a
GETTING STARTED	Contine a accessible providencing
RELEASE NOTES	Configure Park Convertige 600 CBNT Anti-America CT representation State 10

2. Go to **ADMIN** at the top panel > Select **GROUP SETTINGS** > Click on **SECURITY**.

GROUP INFO SECURITY

Authentication Options



BlueJeans Password Configuration

1 O SAML Single Sign On

The following configuration will allow you to setup Single Sign On for your group. For more i PAGE

Enable automatic provisioning 2

Certificate Path 3

Currently:



Login URL

URL for signing into the remote authentication system

https://ug1	com/saml/login
nups.//ugi	.com/sami/login

Logout URL

URL to which a user is redirected to on logout

https://ug1	com/cgi/logout	5	
in the start of Street			

4

Custom Error Page URL

URL to which a user is redirected to on an error

Default URL: /sso/saml2/error/	6	
--------------------------------	---	--

SAML Meta Data

SAML Meta Data url for IdP initiated SSO



Copy to clipboard

RelayState

For IdP initiated SSO, configure your IdP with the following RelayState



Copy to clipboard

9 V Pick User Id from <saml2:NameID> element

Email *	
Email	10

3. **SECURITY** window will open > Fill the template with appropriate values.

Field Name	Values
SAML Single Sign On	Should be Checked.
Enable automatic provisioning	Should be Checked.
Certificate Path	Upload IdP certificate
Login URL	https://ug1. <customer_domain>.com/saml/login</customer_domain>
Password Change URL	https://ug1. <customer_domain>.com/cgi/logout</customer_domain>
Logout URL	https://ug1. <customer_domain>.com/cgi/logout</customer_domain>
Custom Error Page URL	Default URL:/sso/saml2/error/ (It will auto generate)
SAML Meta Data	Default value will generate automatically
RelayState	Unique RelayState will generate automatically
Pick User Id from <saml2:nameid></saml2:nameid>	
element	Should be Checked.
Email	Email

Note: Copy the RelayState for further use as it need to be used in IdP.

4. Click on SAVE CHANGES.

Step 3: Relay State in Bookmarks.



1. Click on NetScaler Gateway > Resources > Bookmarks.

100	10.5495	175.00	mploate gogs in statement and a	and a second sec	100.0003000000000
108	100,000,000	AND CATURE.	which is a second product of the second product of the second second second second second second second second	ingeneration (see a page	Web, Read Address State
10	failer Brits	Harley's	http://app.com/antonice/pil/archit	ingen Alderahite strong	Disk Speciel and the second second
	Bluejeans	Bluejeans	https://ctxnsqa.bluejeans.com/enterprise-admin/#onboarding	/logon/Bluejeansicon.png	SAML Based Authentication
100	THE & PRIMAR	Distances Name	man maps a second address of a special	Internet in Association	100 Paral American
101	OTHER DESIDE	170-col 45	The representation of the second	AppleThe Rendered	Web light All provides
10	Colorado	Keppin.	Indep Sector A sector of the Independent	itoper/Celevinov (etc.	(Not Report Astronomication)

/

2. Bookmarks window will open > Click on Bluejeans.

SaaS 🗸 🗸			
SSO Type			
SAML Based Authentication \sim			
SAML SSO Profile*			
_SAML_Bluejeans > +			
🔲 Use NetScaler Gateway As a Reverse Proxy 🖑			
Comments			
Bluejeans			

3. **Configure Bookmark** window will open > Click on

of the field SAML SSO Profile.

Name	
_SAML_Bluejeans	
Assertion Consumer Service Url*	
https://bluejeans.com/sso/saml2/	
Relay State Expression	Expression Editor
Select V Select V	$\langle \times \rangle$
hat disarit is constructed and of	

- 4. Pop-up window will open > Paste the Relay State (As shown in Step 2).
- 5. Click on **OK.**

Evaluate