Configuring Circonus

Configuring Circonus for SSO enables administrators to manage their users using NetScaler. Users can securely log on to Circonus using their enterprise credentials.

To configure Circonus for SSO through SAML, follow the steps below:

- 1. In a browser, type https://login.circonus.com/and press enter.
- 2. Log on to your Circonus account as an administrator.

J	CIR	CONL	JS
Log In			
	If you don't have an a	iccount, <u>sign up for fre</u>	<u>ee</u> !
Email addres	5		
Password			
			Show
Keep me log	ged in		
		Forgot Passwor	d? Log in
Log in with:			
G 🗘 🗱			

3. On the home page, click **Account** > **Profile**.

Integrations	•			
Account	•	Profile		
		API Tokens		

4. In the **My Account** section, in the **SAML** area, click the **Edit SAML Integration** icon

≡ My	Acco	ount								
DESCRIPTION			x	CC EMAIL ?	x	METRI 0 of 50	CS USED 00 available	STATUS Active		×
SMS Disabled	~	METRIC PLAYBACK ? Enabled	0	DEFAULT DASHBOARD ? None		x	TIMEZONE Etc/UTC			x
SAML IDP Login URL: IDP Issuer: htt Email Domain: IDP Logout UR	https://u ps://ug1.i ctxnsqa. L: https://	ig1.ctxnsqa.com/saml/login ctxnsqa.com com /ug1.ctxnsqa.com/cgi/tmlogou	ıt						×	x

5. In the **Edit Your SAML Integration** dialog box, specify the following information:

Edit Your SAML Integration:			
IDP Login URL:	https:///saml/login		
IDP Issuer:	https://u_1 om 2		
Email Domain:	ctxnsqa.com		
IDP Logout URL:	https://		
5 IDP Certificate:	BEGIN CERTIFICATE ////ED=CCDC-a-tw/DtalCtari///2076//////DESE-CDU-atvDalcath/iS9		
	jj i i i i i i i i i i i i i		

- i. **IDP Login URL** type the URL in https://<your-organization FQDN>/saml/login format.
- ii. **IdP Issuer** type a unique issuer identifier.
- iii. **Email Domain** type the domain of your organization.
- iv. **IDP Logout URL** type a redirect URL for logging out.
- v. **IDP Certificate** paste the Identity provider certificate. To obtain your IdP certificate, follow the steps below:

8

- i. Remotely access your NetScaler instance using PuTTY.
- ii. Navigate to /nsconfig/ssl folder (using shell command cd /nsconfig/ssl) and press Enter.
- iii. Type cat <certificate-name> and press Enter.



- iv. Copy the text from -----BEGIN CERTIFICATE----- to -----END CERTIFICATE-----
- v. Paste the text in a text editor and save the file in an appropriate format such as <your organization name>.pem
- vi. Click **Ok**.

You have completed the required configuration on the service provider which is in this case – Circonus.