Configuring ProdPad

Configuring ProdPad for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to ProdPad by using the enterprise credentials.

Prerequisite

Browser Requirements: Internet Explorer 11 and above

To configure ProdPad for SSO by using SAML:

- 1. In a browser, type <u>https://app.prodpad.com/login</u> and press **Enter**.
- 2. Type your ProdPad admin account credentials (Email and Password) and click Log in.

7
Good afternoon. Nice to see you.
Password ••••••••
Log in
New to ProdPad? Sign up for free!

3. In the top-right corner, click the user account and select **Account settings** from the dropdown list.



- 4. In the **Account Settings** page, click the **Authentication** tab.
- 5. Click the **Add authentication type** button and select **SAML** from the drop-down list.

Account Se	ttings							
Users & Permissions	Audit Log	Authenticatio	n Workflow	Company Info	Subscription	GDPR		
								Add authentication type -
								Google
								OneLogin
								SAML

6. Enter the values for the following fields:

Field Name	Description
Sign-in URL	IdP entity ID
ACS Http Endpoint	IdP logon URL
X509 Certificate	Copy and paste the IdP certificate. The IdP certificate must begin and end with Begin CertificateAndEnd Certificate Note: The IdP Certificate is provided by Citrix and can be accessed from the link below: https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatetest/i dp_metadata.xml

Icate valid until Sep 10 2045 04:51 ed on Sep 28 2018 S. Http:Endoplot.	- X509 Certificate BEGIN CERTIFICATE
ed on Sep 28 2018 n-in URL S Http Endopint	- x509 Certificate BEGIN CERTIFICATE
n-in URL	- x509 Certificate BEGIN CERTIFICATE
	BEGIN CERTIFICATE
S Http Endpoint	
STILLS ENGDOINE	much blur
· · · ·	··· ·
jout URL	much blur
gout url	emanth: Bilar
v ID: https://ani.prodpad.com/ani/v2/sso/saml/metadata	
rtion consumer service: https://api.prodpad.com/api/v2/sso/saml/acs	
e logout service: https://api.prodpad.com/api/v2/sso/saml/sls	

Note: Note down the **Entity ID**, **Assertion consumer service**, and **Single logout service** for IdP configuration.

- 7. Click Save changes.
- 8. To add users, click the **Users & Permissions** tab in the **Account Settings** page.
- 9. Click the **Invite users** button.



10. Enter the email address of the user and click the **Add** button.



11. Select the user role from the drop-down list and click **Send invites**.

