


Configuring Sli.do

Configuring Sli.do for SSO enables administrators to manage their users using Citrix Gateway. Users can securely log on to Sli.do using their enterprise credentials.


To configure Sli.do for SSO through SAML, follow the steps below:

1. In a browser, type the URL, www.sli.do/login and press **Enter**.
2. Type your credentials and click **Login**.




The screenshot shows the Sli.do login interface. At the top, the 'sli.do' logo is displayed. The main heading is 'Log in to your account', with a link to 'or create account'. Below this, there are two input fields: 'Your email' and 'Password'. Under the 'Your email' field, there is a 'Remember me' checkbox and a 'Forgot password?' link. A green 'Login' button is positioned below the input fields. Below the button, the word 'or' is centered. At the bottom, there are two options: 'Sign in with Google' with the Google logo and 'Single Sign-On' with a cloud icon.

3. On the Landing page, click on your profile name at the top right corner. From the drop-down list, click **Organization settings**.




4. In the Organization settings page, click **Privacy**.
5. In the Privacy section, type the following details:



- i. Set your event as **Private**.
 - ii. **Authentication:** From the drop-down list, select **SAML based SSO**.
 - iii. **Upload SAML XML:** Click to import the IDP xml metadata file.
6. Click **Save**.


The settings are saved, and a confirmation message appears.




You can create a testing event and try to access it as a Participant.

To create an event, perform the following tests:


1. Click on your profile name at the top right corner. From the drop-down list, click **Events**.
2. On the Events page, click **Create event**. A Create an event dialog box appears.



3. Type the **Event name** and click **Create Event**. The new event page appears.
4. On the Event page, click the **Settings** icon in the top left corner.



On the Event Settings page, perform the following:



- i. **Require authentication:** Enable the toggle switch for user authentication.
 - ii. Select **SAML SSO**.
 - iii. **Upload XML:** Click to import the IDP xml metadata file.
5. Click **Save**.

The event settings are saved successfully.