


Configuring Sumologic

Users can securely log on to Sumologic using their enterprise credentials. To configure Sumologic for SSO through SAML, follow the steps below:


1. Login to **Sumologic** as an Admin user.



2. Click on **Administration > Security**.



3. Security window will appear, click on **SAML**.



4. Click on plus icon in **Configuration list** section.



5. **Add configuration** window will appear, check on **SP initiated login configuration** and **Use SAML Subject** buttons and complete all the fields with appropriate values.

← Add Configuration

Configuration Name * 1 Debug Mode

Issuer * 2

Authn Request URL 3

X.509 Certificate * 4

SP Initiated Login Configuration

Login Path * **5**

Attribute Mapping *

Use SAML Subject

Use SAML Attribute

Roles Attribute (Optional)

On Demand Provisioning (Optional)


Logout Page (Optional)

6. Most complete all the required field.


Field Name	Values
Configuration Name	Enter a name to identify the SSO policy
Issuer	Enter your Issuer name same as IdP
Authn Request URL	https://ug1.<server_domain >.com/saml/login
X.509 Certificate	Paste IdP certificate
Login Path	Enter a unique identifier, it will use to generate unique URL for user login
Logout Page	https://ug1.<server_domain>.com/cgi/logout

7. In place of <server_domain>, enter your server domain name (See **Introduction** to know more about the <server_domain> values).

8. After providing the all values, click on **Add**.



- Now you can see your configuration in configuration list, click on your configuration.



- One window will pop up in right side.



- Copy the **customer id**.