Configuring Testable

Configuring Testable for single sign-on (SSO) enables administrators to manage users of Citrix ADC. Users can securely log on to Testable by using the enterprise credentials.

Prerequisite

Browser Requirements: Internet Explorer 11 and above

To configure Testable for SSO by using SAML:

- 1. In a browser, type <u>https://testable.io/</u> and press **Enter**.
- 2. Type your Testable admin account credentials (Email Address and Password) and click Sign me in.



Citrix Gateway

3. In the left panel, navigate to **Organization** > **Settings**.



4. In the **Settings** page, click **Authentication**.

Notifications	•
Authentication	0
Filtering & Result Collection	0

5. In the **Authentication** section, select the **SAML 2.0 Authentication** check box and enter the values for the following fields.

Field Name	Description	
Provider	Select Other from the drop-down list.	
SAML Provider	Identity Provider name	
IDP Metadata	Copy and paste the IdP certificate. The IdP certificate must begin and end with	
	Begin CertificateandEnd Certificate	
	Note : The IdP Certificate is provided by Citrix and can be	
	accessed from the following link:	
	https://ssb4.mgmt.netscalergatewaydev.net/idp/saml/templatet	
	est/idp_metadata.xml	
Team Login	Login subdomain	

Authentication	•
SAML 2.0 Authentication ()	
Provider 🟮	
Other	~
and the second s	
IDP Metadata 🚯	
1.1.1 provide the second se	
A DESCRIPTION OF THE OWNER AND ADDRESS OF THE OWNER	
Team Login ()	
https://	.testable.io
Filtering & Result Collection	(
pdate Settings	

6. Finally, click **Update Settings**.